









Motiva Linear Lite™

The 'Linear Lite' is an aluminium version of our popular Motiva Linear™ design suitable for lower duty applications such as some hospitality uses and even some educational environments. The Linear Lite is particularly suited to applications where wall mounting is possible one side but independent versions are available. This monopitch (asymmetric) straight roof variant is where one side is higher than the other. This is the standard configuration for canopies located against building elevations but also used for many applications including walkways and outdoor play areas. Widths of up to 4000mm are standard with this product but up to 7000mm is available if required.

- Straight roof design
- Integral gutters and RWPs
- Aluminium framework
- Finished any RAL colour available
- Glass or polycarbonate options









Appearance

Aluminium on the Motiva Linear Lite™ canopy is finished in PPC colour Glass would typically be clear. Post pads can be any colour, finish. Polycarbonate roof covering is either clear or opal as standard often contrasting with the structure. or can be coloured at extra cost.

Services

If you are considering the Motiva Linear Lite™ canopy we would recommend an early consultation to consider all aspects of the proposed canopy installation, we provide free quotations and technical information at design stage with drawing files of all details which can be easily incorporated into architects' drawings. Full site surveys, CAD drawings and project management are all part of our standard service. Early technical involvement in projects can generally provide a better solution.

BESPOKE PRODUCTS

Bespoke products are possible due to our ability to extensively customise our products ensures that we can meet any special requirements that you may have. Our flexible modular system often allows this to be done very economically whilst retaining the performance characteristics of our system.

Specification

TYPICAL APPLICATIONS

The Motiva Linear Lite™ is ideal for -

Positioning against a building | Covered walkways Alfresco dining and recreational areas | Plazas Schools | Colleges | Universities | Outdoor play Outdoor learning | Hospitals

MATERIALS

Structure - Aluminium Roofing - Polycarbonate or glass Finish - Four standard PPC colours (any RAL colour available)

DIMENSIONS

Virtually any dimensions are available with the Motiva Linear Lite[™], most cost-effective widths are 2000mm, 3000mm, 4000mm, 5000mm, 6000mm. Standard lengths are at 1000mm increments but any length is possible. Post centres are typically 4000mm (up 5000mm). In all instances please enquire accommodate nearly any situation.

OPTIONS

- Side panels various infill options
- Clear, opal and glass roof options
- Aluminium guttering and downpipes
- Wall beam or independent

SPECIFICATION CLAUSE

To supply and install to manufacturer's recommendations: Motiva Linear Lite[™] canopy to overall size —- mm X —- mm (or as per drawing no---) to include for clear/opal/glass roof, finish to RAL - as manufactured by A&S Landscape, March Way, Battlefield Enterprise Park, Shrewsbury, SY13JE

T: 01743 444100 E: sales@aandslandscape.com








Colours

Standard colours







Anthracite - RAL NO. 7016

Non-standard RAL colours - Available at a charge



Jet Black - RAL NO. 9005



Signal Yellow - RAL NO. 1003



Brown Red - RAL NO. 3011



Traffic Red - RAL NO. 3020



Squirrel Grey - RAL NO. 7000



Ultramarine Blue - RAL No. 5002



Gentian Blue - RAL NO. 5010



Sapphire Blue - RAL NO. 5003



Slate Grey - RAL NO. 7015



Moss Green - RAL NO. 6005



- RAL NO. 6032



